



PORT of TOWNSVILLE



Townsville Marine Precinct Project

Environmental Impact Statement



August 2009



Contents

Executive Summary	xiv
Glossary of Terms	xxix
1. Introduction	1-1
1.1 Project proponent	1-1
1.2 Project description	1-1
1.3 Project objectives and scope	1-3
1.4 Project need, costs and benefits	1-8
1.5 Alternatives to the project	1-11
1.6 The environmental impact assessment process	1-35
1.7 Public consultation process	1-38
1.8 Project approvals	1-44
1.9 Accredited process for controlled actions under Commonwealth legislation	1-94
1.10 Queensland Government Environmental Offsets Policy	1-94
2. Description of the project	2-1
2.1 Introduction	2-1
2.2 Overview of project – reference design	2-1
2.3 Location	2-6
2.4 Construction	2-9
2.5 Operations	2-30
2.6 Associated infrastructure requirements	2-33
3. Environmental values and management of impacts	3-1
3.1 Introduction	3-1



3.2	Land	3-1
3.3	Landscape character and visual amenity	3-19
3.4	Transport and associated infrastructure	3-43
3.5	Climate and climate change	3-53
3.6	Surface waterways	3-65
3.7	Groundwater resources	3-66
3.8	Coastal environment	3-76
3.9	Water and sediment quality	3-128
3.10	Nature conservation	3-168
3.11	Air quality	3-246
3.12	Greenhouse gas assessment	3-253
3.13	Noise and vibration	3-256
3.14	Waste management	3-265
3.15	Cultural heritage	3-296
3.16	Health and safety	3-315
3.17	Cumulative impacts	3-325
4.	Social values and management of impacts	4-1
4.1	Overview	4-1
4.2	Description of existing social values	4-1
4.3	Potential impacts and mitigation measures	4-3
5.	Impacts on state and local economies and management of those impacts	5-1
5.1	Description of existing economic character	5-1
5.2	Value of ecosystem services to be lost or disturbed	5-14
5.3	Potential impacts and mitigation measures	5-16



6.	Hazard and risk assessment	6-1
6.1	Overview	6-1
6.2	Dangerous Goods	6-1
6.3	Natural Hazards	6-7
6.4	Preliminary Hazard Analysis	6-9
6.5	Management plans	6-14
6.6	Conclusions	6-22
7.	Matters of national environmental significance	7-1
7.1	Controlling provisions	7-1
7.2	Impacts on world heritage properties	7-1
7.3	Impacts on National Heritage Places	7-8
7.4	Wetlands of International Importance	7-8
7.5	Impact on a listed threatened species and ecological communities	7-8
7.6	Impact on a listed migratory species	7-11
8.	Environmental management plan	8-1
8.1	Introduction	8-1
8.2	Objectives of the Environmental Management Plan	8-1
8.3	Environmental Training	8-2
8.4	Monitoring Responsibility	8-2
8.5	Auditing	8-2
8.6	Management Responsibility	8-3
8.7	Environmental Management Plan	8-4
9.	Conclusions and recommendations	9-1
10.	References	10-1



Table Index

Table 1-1	Criteria used for the Breakwater Options Assessment	1-23
Table 1-2	Criteria Weighting	1-26
Table 1-3	Summary of Government consultation activities during the TMPP EIS process	1-82
Table 1-4	Approvals required for the Townsville Marine Precinct Project	1-89
Table 1-5	Estimated timeframes to obtain approvals required for the Townsville Marine Precinct Project	1-92
Table 1-6	Summary of estimated timeframes to obtain approvals required for the Marine Precinct Project	1-93
Table 2-1	Anticipated scope of dredging and filling works	2-13
Table 2-2	Summary of Dredge Volumes	2-15
Table 2-3	Summary of Fill Volumes	2-16
Table 2-4	Composition of likely dredged materials	2-17
Table 2-5	Construction Equipment on Site – Dredging and Reclamation Works	2-22
Table 2-6	Construction Equipment on Site – Structures	2-27
Table 2-7	Design Water Levels	2-28
Table 2-8	Typical Breakwater – Impacts of Sea Level Rise and Climate Change	2-28
Table 2-9	Industries Supported by the Precinct	2-31
Table 2-10	Estimated total employment impacts from the construction and operating phases of the Precinct	2-33
Table 3-1	Ratio of ANC to SPOS by reporting area	3-6
Table 3-2	Precinct land holdings	3-8
Table 3-3	Viewpoint 1 – Castle Hill	3-25
Table 3-4	Viewpoint 2 – Townsville City Residential East	3-26
Table 3-5	Viewpoint 3 – Townsville City Residential and Commercial West	3-27
Table 3-6	Viewpoint 4 – Boundary Street, Archer Street and Benwell Road	3-28
Table 3-7	Viewpoint 5 – Ross River and Cleveland Bay	3-29
Table 3-8	Visual impact to viewpoint 1 – Castle Hill	3-31
Table 3-9	Viewpoint 2 – Townsville City Residential East	3-33
Table 3-10	Viewpoint 3 – Townsville City Residential and Commercial West	3-35
Table 3-11	Viewpoint 4 – Boundary Street, Archer Street and Benwell Road	3-37



Table 3-12	Viewpoint 5 – Ross River and Cleveland Bay	3-38
Table 3-13	Additional traffic due to construction	3-47
Table 3-14	Range of Trip Generation Rates for Industrial Land Uses	3-47
Table 3-15	Light industrial trip generation rates	3-48
Table 3-16	Development traffic directional splits	3-48
Table 3-17	Contribution of Development Traffic to Intersections	3-48
Table 3-18	Projected Changes in Average Annual Temperature (relative to 1980-1999) for the Townsville Region	3-55
Table 3-19	Projected changes in annual average numbers of hot days for the townsville region (CSIRO 2008)	3-56
Table 3-20	Projected changes in rainfall statistics for the Townsville Region (CSIRO 2008)	3-56
Table 3-21	OzClim projections for seasonal change in rainfall (%) from baseline 1990 for the Townsville Region	3-56
Table 3-22	Semidiurnal tidal planes for the Port of Townsville	3-57
Table 3-23	Estimated Increase in Total Storm Tide Level (m AHD) under Enhanced Greenhouse Scenarios (Townsville/Thuringowa City Council 2007)	3-58
Table 3-24	Overview of projected climate changes for the Townsville Region	3-58
Table 3-25	Likelihood Ratings for CCAA (adapted Port of Townsville)	3-61
Table 3-26	Potential Project Impacts from Climate Change Identified	3-61
Table 3-27	Summary of CCAA Risk Ratings	3-62
Table 3-28	Summary of adaptation assessment against 5m LAT Reference Level	3-64
Table 3-29	Permeability Test Results	3-67
Table 3-30	Baseline groundwater quality sampling frequency and parameters	3-74
Table 3-31	Corrective Actions for Potential Impacts Identified	3-75
Table 3-32	Reporting Summary	3-76
Table 3-33	Wave parameters comparison	3-86
Table 3-34	Semidiurnal tidal planes for the Port of Townsville	3-94
Table 3-35	Scenarios and modelled processes.	3-102
Table 3-36	Flushing Potential for a Passive Tracer Using E-Folding Technique	3-117
Table 3-37	Comparison of POTL and GHD Water Quality Monitoring Sites in Ross River	3-130



Table 3-38	Location of Sedentary Water Quality Loggers	3-132
Table 3-39	Sedentary Logger Data Collection	3-133
Table 3-40	Water and Sediment Quality Monitoring Site Locations	3-134
Table 3-41	Vessel-based Water Quality Monitoring Dates	3-135
Table 3-42	Comparison of the Average Rainfall Statistic to Total Rainfall During the Monitoring Program	3-137
Table 3-43	Summary of Potential Impacts of Precinct Construction on Water Quality	3-145
Table 3-44	Potential Water Quality Contaminants from the Operation of the Precinct	3-149
Table 3-45	Proposed Water Quality Guidelines for Dredging of Precinct	3-157
Table 3-46	Sediment Quality Guidelines adopted for Precinct EIS	3-159
Table 3-47	Comparison of POTL and GHD Sediment Quality Monitoring Sites in Ross River	3-161
Table 3-48	Threat Criteria and Consequence Scales	3-171
Table 3-49	Likelihood Rating	3-173
Table 3-50	Risk Assessment Matrix	3-174
Table 3-51	Risk levels and Management Action (example)	3-174
Table 3-52	Risk assessment for terrestrial ecological values	3-180
Table 3-53	Summary results for Townsville region shorebird sites	3-188
Table 3-54	Average counts over two low tides of shorebird species counted on intertidal areas A, B and C	3-190
Table 3-55	Risk assessment for marine ecological values (marine megafauna further addressed in following section)	3-203
Table 3-56	Age class categories for green Turtle, the dugong and inshore dolphin species	3-220
Table 3-57	Listed Marine Fauna potentially found within the Project area	3-224
Table 3-58	Risk assessment for marine megafauna	3-233
Table 3-59	Potential impacts relating to offsets under consideration for the TMPP	3-244
Table 3-60	Emission rates	3-248
Table 3-61	Summary of Noise Monitoring Results dB(A) – 27 Hubert Street	3-257
Table 3-62	Attended Noise Monitoring Results	3-257
Table 3-63	Predicted Plant Item Noise Levels dB(A)	3-259
Table 3-64	Predicted Operational Item Noise Levels dB(A)	3-262
Table 3-65	Construction Phase Waste Materials	3-268
Table 3-66	Inventory of Precinct waste	3-270



Table 3-67	Construction Waste	3-272
Table 3-68	Shipping and Boating Waste	3-278
Table 3-69	Commercial and Industrial Waste	3-283
Table 3-70	Qualitative Summary of Hazards, Consequences and Mitigation Measures	3-318
Table 4-1	Summary of social impact management and mitigation measures	4-9
Table 5-1	Index of retail prices in Townsville	5-4
Table 5-2	Household Ownership and Finances in Townsville and Queensland	5-5
Table 5-3	Business Count Distribution: Northern SD, South Townsville, QLD	5-11
Table 5-4	Estimated Ross River marine industry output in 2008-09 (\$2009)	5-13
Table 5-5	Ecosystem value by habitat type in \$/Ha	5-15
Table 5-6	Annual environmental loss from TMPP	5-15
Table 5-7	Construction phase economic impacts, \$2009)(a)	5-17
Table 5-8	Economic value of additional \$28 million in boat maintenance expenditure (\$2009)	5-21
Table 5-9	Estimated Total Employment Impacts from the Construction Phases of the New TMPP	5-26
Table 5-10	Potential mitigating and enhancing measures that could be considered	5-28
Table 6-1	Indicative Lists of Hazardous Substances and Stated Dangerous Goods	6-1
Table 6-2	Consumption Details of Hazardous Substances and Stated Dangerous Goods – Construction Phase	6-2
Table 6-3	Consumption Details of Hazardous Substances and Stated Dangerous Goods – Operation Phase	6-3
Table 6-4	Key Risks Identified for the TMPP	6-10
Table 6-5	Summary of Mitigation Measures identified for High Risks	6-12
Table 6-6	Summary of Mitigation Measures identified for Substantial Risks	6-13
Table 7-1	Threatened bird species	7-9
Table 8-1	Structure of Environmental Management Plan	8-1
Table 8-2	Management Responsibilities	8-3



Figure Index

Figure ES1	Precinct layout and ref design	xv
Figure 1-1	Townsville Port	1-2
Figure 1-2	Marine Precinct and Breakwater Reference Design	1-4
Figure 1-3	Existing Marine Industries Adjacent to the Precinct Development Site	1-5
Figure 1-4	2003 Townsville Marine Port Precinct Concept Plan (reproduced from Maunsell 2003 with permission from POTL)	1-13
Figure 1-5	Breakwater Options Evaluation Methodology	1-16
Figure 1-6	Max - TOR Max Option [Ref TOR Option 1: Longer more distant breakwater option]	1-17
Figure 1-7	Min - TOR Min Option [Ref TOR Option 2: Shorter, closer breakwater option]	1-18
Figure 1-8	No Breakwater - continuous quayline option	1-19
Figure 1-9	Option A – refinement of TOR Option 1 to reduce footprint	1-20
Figure 1-10	Option B – Refinement of TOR Option 2 to reduce footprint	1-21
Figure 1-11	Option C – hybrid of Options A and B	1-22
Figure 1-12	The EIS Process	1-50
Figure 2-1	Project location	2-3
Figure 2-2	Concept layout	2-4
Figure 2-3	Sensitive ecosystem receptors adjacent to the precinct	2-7
Figure 2-4	Plan showing works areas	2-12
Figure 2-5	Typical backhoe dredge with split hopper barge being loaded	2-20
Figure 2-6	Typical cutter suction dredgers	2-20
Figure 2-7	Breakwater Construction	2-21
Figure 2-8	Offshore Breakwater – Typical Section	2-25
Figure 2-9	Reference Design Infrastructure Plan	2-34
Figure 2-10	Future Townsville Port Access Road Corridors	2-36
Figure 3-1	Precinct collated bathymetry	3-2
Figure 3-2	Mapped geology and registered groundwater bores	3-4
Figure 3-3	Vibra-core sample locations and reporting areas	3-5
Figure 3-4	Land uses	3-9
Figure 3-5	Native Title	3-14
Figure 3-6	Castle Hill landscape Feature	3-20
Figure 3-7	Mt Stuart Landscape Feature	3-20



Figure 3-8	Visual catchment and viewpoints	3-24
Figure 3-9	Proposed Road Layout	3-45
Figure 3-10	Intersection Location and Indicative Road Network Assignment	3-46
Figure 3-11	Mean Monthly Rainfall and Temperature for Townsville (BoM 2009)	3-53
Figure 3-12	Wind speed frequencies at Townsville Port TEOM Weather Station	3-54
Figure 3-13	Speed and direction wind rose for Townsville Port TEOM Weather Station	3-55
Figure 3-14	Baseline Groundwater Monitoring Locations	3-68
Figure 3-15	Wave roses offshore and nearshore for Townsville Region	3-77
Figure 3-16	NOAA Wind Exceedance Plot (Offshore Townsville)	3-82
Figure 3-17	DEM of Townsville and the Surrounding Area	3-82
Figure 3-18	Wave Roses and Nearshore Extraction Locations	3-83
Figure 3-19	Calculated sediment transport rates (m ³ /yr) for median grain size of 0.4mm.	3-85
Figure 3-20	No breakwater significant wave height contours. 1 in 1 year return period (left) and 1 in 100 year return period (right)	3-87
Figure 3-21	Option C breakwater configuration significant wave height contours. 1 in 1 year return period (left) and 1 in 100 year return period (right).	3-88
Figure 3-22	Option C significant wave height contour plots - refined model. 40°, Uni-directional, Monochromatic. 1 in 1 year (left) and 1 in 100 year (right).	3-89
Figure 3-23	Predicted sediment distribution patterns from longshore transport and tidal currents	3-93
Figure 3-24	ADCP deployment locations	3-97
Figure 3-25	“D” model grid showing increasing resolution towards the Precinct	3-100
Figure 3-26	Grid for Model “C”	3-101
Figure 3-27	Measured (ADCP) versus modelled current magnitude time series for offshore site.	3-103
Figure 3-28	Measured (ADCP) vs modelled water level time series for offshore site	3-104
Figure 3-29	Presentation of ADCP measured and modelled current magnitudes (offshore site) for a shorter time frame, showing the standard of correlation between measured and modelled values.	3-105



Figure 3-30	Residual currents resulting from tide only forcing for existing conditions.	3-106
Figure 3-31	Location of numerical monitoring stations	3-107
Figure 3-32	Spatial Plot of Bed Shear Stresses during Spring Tide	3-108
Figure 3-33	Current magnitude (tide only case) at three locations (proposed marina entrance, tail of eastern breakwater and in navigation channel at breakwater entrance)	3-110
Figure 3-34	Residual currents as a result of tidal forcing on the developed bathymetry and structures	3-111
Figure 3-35	Bed shear stresses during flood phase of spring tide (prevailing scenario) for developed conditions.	3-112
Figure 3-36	Differential of bed shear stresses during flood phase of spring tide (prevailing scenario) for developed conditions.	3-113
Figure 3-37	Time histories of bed shear stress at numerical monitoring stations 293, 383 and 387 for existing (red) and developed (black) conditions under the combined effects of tide and prevailing wave conditions	3-114
Figure 3-38	Existing bed shear stresses for storm wave (1 year ARI) conditions.	3-115
Figure 3-39	Differentials of BSS for storm wave (1 year ARI) conditions.	3-115
Figure 3-40	Time histories of bed shear stress at numerical monitoring stations 314, 383 and 417 under the combined effects of tide and 1 year ARI storm event: Developed conditions (black solid line) versus existing conditions (red solid line)	3-116
Figure 3-41	Passive tracer concentration time series at Ross River mouth/entrance (top panel), breakwater entrance/channel (middle panel) and proposed marina site (bottom panel)	3-118
Figure 3-42	Water level (m) at Ross River mouth/entrance (top panel), proposed marina site (middle panel) and breakwater entrance/channel (bottom panel).	3-119
Figure 3-43	Map of differential water level for 100 year flood event in Ross River.	3-120
Figure 3-44	BSS differential for peak flood flow through the entrance of the Ross River.	3-121
Figure 3-45	Existing (left) and developed (right) sediment thickness following flood event in Ross River.	3-122
Figure 3-46	Comparison of sediment deposition from flood events for existing and developed conditions.	3-123



Figure 3-47	Environmentally sensitive areas for seagrass.	3-124
Figure 3-48	Suspended sediment concentration time series at key monitoring stations	3-125
Figure 3-49	Predicted sediment deposition for 2 months of dredging	3-126
Figure 3-50	Location of Sedentary Water Loggers and Water and Sediment Quality Monitoring Sites	3-131
Figure 3-51	Sedentary Water Quality Logger Prior to Deployment	3-133
Figure 3-52	In-situ Water Quality Monitoring	3-136
Figure 3-53	Collection of Water Samples for Laboratory Analysis	3-136
Figure 3-54	Turbidity (NTU) at WQ1 and Wind Speed (m/s) from September 2008 – February 2009	3-138
Figure 3-55	Turbidity (NTU) and Water Height (m) at WQ1 from September – December 2008	3-139
Figure 3-56	Plot of Indicative Sediment Depths (m) after Two Months of Dredging in the Ross River mouth (seaward corner of current reclamation). Yellow >2mm, dark blue <1mm	3-154
Figure 3-57	Seagrass and algal tolerance to sediment deposition events	3-155
Figure 3-58	Acid Sulfate Soils Sample Locations	3-164
Figure 3-59	The terrestrial ecology site with regional ecosystem mapping	3-178
Figure 3-60	Ross River mouth bird sampling locations	3-186
Figure 3-61	Wetland bird sampling sites in the vicinity of Townsville from Toolakea to Barratta Creek.	3-187
Figure 3-62	Marine ecology sample areas	3-198
Figure 3-63	Benthic sample locations	3-199
Figure 3-64	Dugong Protection Area in the Project Area	3-217
Figure 3-65	Boat-based survey sites	3-221
Figure 3-66	Aerial survey flight parameters	3-222
Figure 3-67	Transects in Cleveland Bay for the aerial survey	3-223
Figure 3-68	Model of dugong relative density and distribution in Cleveland Bay Queensland	3-226
Figure 3-69	Distribution of snubfin and humpback dolphins in Australian waters	3-227
Figure 3-70	Marine turtle aerial survey observations in Cleveland Bay	3-227
Figure 3-71	All dugong, turtle and dolphin observations from aerial surveys September – March 2009	3-229
Figure 3-72	Boat-based observations of marine megafauna	3-230



Figure 3-73	Worst-case daily average PM10 dust concentration from proposed construction activities	3-250
Figure 3-74	With-mitigation daily average PM10 dust concentration from proposed construction activities	3-251
Figure 3-75	With-mitigation average dust deposition (g/m ² /year) from daily operating construction site	3-252
Figure 5-1	Northern SD gross regional product	5-2
Figure 5-2	Northern SD: industry contribution to GRP 2006-09	5-3
Figure 5-3	Composition of housing tenure in Townsville	5-6
Figure 5-4	Median rents in Townsville	5-7
Figure 5-5	Quarterly hotel room occupancy rate Townsville	5-8
Figure 5-6	Monthly hotel room occupancy rate Townsville	5-9

Appendices

A	Document alignment with Terms of Reference, Glossary, Statement of Copyright
B	Terms of Reference for this EIS
C	IAS for this project
D	EPBC referral for this project
E	Consultation Report
F	GHD Study Team and organisational chart
G	Construction assessment report
H	Acid sulfate soil report and management plan
I	Hydrodynamic modelling report
J	Water and sediment quality report
K	Noise and vibration assessment report
L	Air quality assessment
M	Transport and infrastructure assessment
N	Landscape and visual amenity report
O	Climate change impact assessment
P	Groundwater monitoring report
Q	Wave modelling report
R	Coastal processes assessment
S	Terrestrial ecology report
T	Marine ecology report



PORT of TOWNSVILLE
Newest North Queensland

- U Marine megafauna report
- V Wading and migratory bird assessment
- W Greenhouse gas assessment
- X Waste management report
- Y Cultural heritage report
- Z Health and safety investigation findings
- AA Social impact assessment
- BB Economic impact assessment
- CC Hazard and risk assessment

